

Name of Hotel: _____

Numbers

- What is the total number of hotel guest rooms? _____
- What is the total number of wheelchair accessible guest rooms? _____
- What is the total number of guest rooms with roll-in showers? _____
- What is the total number of guest rooms with handrails? _____
- What is the number of total parking spaces on the premises? _____
- What is the number of van accessible parking spaces on the premises? _____

Please respond with either 'Yes' or 'No' in the space provided below.

Exterior

Are there curb cuts for the front entrance of the hotel? _____

- Is there information about accessibility on your hotel's website? _____

Public Places

- Are all corridors and public circulation spaces at least 36 inches wide? _____
- Do all interior doors including lobby, corridor doors, guest room doors and patio doors have at least 32" of clear opening and have less than 5 pounds of door pressure?

- Do emergency alarm systems in the lobby and guest rooms display visual and audible warnings? _____
- If there is not a cutout with a lowered counter surface and knee space provided at the front desk, are guests accommodated at the concierge or provided clipboards to serve as writing surfaces? _____
- Is there Braille signage for the blind or visually impaired? _____
- Do the doors from public spaces that lead to hazardous areas have tactile warnings on the operating surface of the door hardware? _____
- Is signage pertaining to emergency information, general circulation, and room space identification consistently located and mounted at eye level (4'6" to 5'6") with characteristics and symbols that contrast with their background? _____

Flooring

- Are changes in floor surface level or beveled when the change is greater than 1/4"?

- Is the carpeting in corridors and other public areas a maximum height of 1/2", and securely attached? _____
- Are hard floor surfaces slip resistant? _____

- Are thresholds or transition-strips no higher than 1/2" and beveled if the height exceeds 1/4"? _____
- Are stairs in corridors preceded by a detectable warning surface at the top landing? _____

Accessible Guest Rooms

- Do accessible guest room doors have a lever-type handle? _____
- Are safety chains, dead bolts, and other hardware mounted no higher than 48" and do not require fine hand control to operate in accessible rooms? _____
- Are security viewers installed in accessible guest room doors at both high and low heights of 42" and 57"? _____
- Are hanger rods and shelving in closets no higher than 54" from the floor? _____
- Is a 3 feet wide isle provided on at least one side of the bed? _____
- Does the location of the bed and overall room arrangement provide clear space at least 5 feet in diameter or T-shaped area in which to rotate a wheelchair? _____
- Is the height of a bed in an accessible guest room 18" to 20" measured from the top of the mattress? _____
- Is there a bedside telephone with message flashlight provided in accessible guest rooms? _____
- Is there a TTY telephone available upon request? _____
- Are switches mounted at a height of 40" and controls no higher than 48"? _____
- Are electrical outlets mounted between 18"-24" from the floor? _____

Bathrooms

- Do bathrooms in accessible guest rooms include a minimum clear turning space of either 5 feet diameter circle or a T-shaped clear area? _____
- Is the top of the toilet seat between 17"-19" from the floor? _____
- Are grab bars installed on the wall behind and on the sidewall nearest the toilet in guest rooms? _____
- Are towel bars, hair dryers, robe hooks, and other accessories mounted in convenient and accessible locations with operating mechanisms no higher than 54" from the floor? _____
- Do vanities have knee space below the apron and basin with minimum dimensions of 27" high, 30" wide and 19" deep? _____
- Are hot-water pipes or sharp/abrasive surfaces around or in the knee space of the vanity insulated or protected? _____
- Is the top of the bathroom basin no higher than 34" measured from the floor? _____
- Is the basin edge no deeper than 6 1/2" from the front edge of the vanity? _____

- Are mirrors mounted with the lowest edge of the reflecting surface no higher than 40" from the floor? _____
- Are faucets easy to operate with lever handles or single-lever controls which are operable with a closed fist? _____
- Do tub/showers have clearances for a frontal approach of a wheelchair measuring at least 4' wide or 2'6" wide for a parallel approach? _____
- Do tub/shower units have grab bars on the head, foot, and sidewalls to assist wheelchair transfer and aid balance? _____
- Are showers in accessible guest rooms equipped with curtains rather than sliding doors? _____
- Do tubs or showers have an offset single-lever mixing valve and a hand-held shower head with a 5' or longer hose? _____
- Are tub/shower seats built in or available upon request? _____

Swimming Pool

- Is there at least one swimming pool entry/exit provided for people with restricted mobility? _____
- Do the steps into swimming pools have slip-resistant treads or finish? _____
- Are there handrails at the steps of swimming pools to provide support to the user on both the right and left side? _____

Comments/Explanations:
